



TYPES OF ABSORBENT MATERIALS

ENVIRONMENTAL SOLUTIONS TECHNOLOGIES PRODUCTS EXPERTISE

MELTBLOWN

Our Clean It Up Meltblown Absorbs Quickly and is Fast-Wicking.

Loose stacked-weave design increases surface area on spill. Starts Wicking (drawing in liquid) on contact—saves time in critical situations. Mat works equally well on land or waterspills. MeltBlown technology allows Mat to float even when fully saturated.

Absorbs Oily Liquids— Repels Water

MeltBlown polypropylene fibers are left in their natural hydrophobic state. These hydrophobic fibers repel water (and float) while only absorbing oils and other hydrocarbons.

High Sorbency Keeps Mat on the Job Longer

Large-diameter MeltBlown polypropylene fibers are randomly assembled to create a lofty mat—allowing it to absorb up to 77 gallons per roll.

Bright White Color Makes it Easy to See When Mat is Completely Saturated.

Oily grunge can't hide on bright white MeltBlown Mat. Makes it easy to see when it's fully saturated —you save money by not throwing it away too soon.

Select from Oil Only or Universal.



SORBENT PRODUCTS EXAMPLE

STATIC-DISSIPATIVE MAT

Where static electricity poses a risk. The Clean It Up Easy-to-Identify Packaging of the Static-Dissipative Mat is packaged in a blue wrapper for quick identification when you need a Mat where static electricity poses a risk. Deters Static Charges.

White Static Dissipative, for oils, not water.



SORBENT ROLLS EXAMPLES

FINEFIBER MAT (OIL ONLY)

The Clean It Up FineFiber Oil-Only Mat Quickly Absorbs Oily Spills and Overspray. Primary Use: Absorbing Oily Spills and Leaks but not Water. Primary Benefit: Speeds Cleanup. Two (2) layers of FineFiber polypropylene are ultrasonically bonded around a high-loft MeltBlown core.

High Sorbency Keeps It on the Job Longer

Our FineFiber Oil-Only Mat is untreated polypropylene, so it's naturally water-resistant (hydrophobic). A random assembly of large-diameter MeltBlown poly fibers creates a lofty inner layer that absorbs up to 38 oz. of oil—but not water—per 17" x 19" pad.

Grips Surfaces Tightly

Top and bottom layers of FineFiber are built of densely woven, small-diameter strands of fiber to increase surface area—enabling the mat to grip surfaces securely.

Virtually Indestructible

Our FineFiber Mat has a layer of MeltBlown polypropylene ultrasonically sandwiched between two FineFiber layers. This 3-ply construction makes this mat virtually indestructible to foot traffic, so you can use it almost anywhere.

Multi-Perforations Save You Money

Rolls are perforated every 9.5" vertically and every 17" horizontally. Pads are perforated at 9.5" vertically. You save money by tearing off only what you need.



MULTI-FOLD ROLL IN A BOX

FINE FIBER MAT (UNIVERSAL)

From Clean It Up, Sorbency for Where You Walk to Keep Your Floors Dry.

Grips Floor for Safety

Top and bottom layers of Fine Fiber are built of densely woven, small-diameter strands of fiber to increase surface area—enabling the Mat to grip the floor and secure it for safer walking. Universal application for oil, coolants, solvents or water.

Virtually Indestructible

FineFiber Mat has a layer of MeltBlown polypropylene ultrasonically sandwiched between two FineFiber layers. This 3-ply construction makes the mat virtually indestructible to foot traffic.

High Sorbency Means It Stays on the Job Longer

Large-diameter MeltBlown polypropylene fibers create a high-loft inner layer that absorbs up to 38 ounces per 17" x 19" pad and 60.5 gallons per 144' roll.

Multi-Perforations Save You Money

Rolls are perforated every 9.5" vertically and every 17" horizontally. Pads are perforated vertically at 9.5". Tear off only what you need—save money!

MULTILAMINATE

The Clean It Up Multi Laminate is Long-Lasting and Durable for Rugged Applications.

Tear Resistant - Outlasts Standard Mats

Outer layers of tough-skinned, Heavy Weight SpunBond material resist abrasions and tears—can withstand rough handling and won't tear apart when pulled or positioned under equipment.

Looks Good for a Long Time

MeltBlown inner layer draws and holds liquids from outer layers—traps ugly grunge inside and leaves the Mat looking good on the outside. Stays on the job longer to save you money.

Low Lint for Sensitive Jobs

Outer SpunBond layers are constructed of continuous strands of polypropylene fiber—interwoven to virtually eliminate fibers from becoming detached and contaminating equipment, tool or parts.

Multi-Perforations Save You Money

Rolls are perforated every 9.5" vertically and every 17" horizontally. Pads are perforated vertically at 9.5". Tear off only what you need—save money! Select from Oil Only or Universal.



ABSORBENT PILLOWS



AIRLAID

Airlaid from Clean It Up Conforms to Your Application—Unlimited Flexibility.

Crumples, Fits or Wraps to Any Job

Resilient, bounce-back polypropylene fibers are “AirLaid” between two layers of tough SpunBond to make this Mat ideal for tight spots or wrapping around pipes and other equipment.

High Sorbency Keeps It on the Job Longer

Inner layer of air-filled polypropylene fibers creates uniform pockets of air that attract and hold liquids. Absorbs up to 45 ounces per 17” x 19” pad and 71.8 gallons per 144’ roll.

Durable for Everyday Use

Ultrasonic bonding of two abrasion-resistant SpunBond layers around loose fibers gives the Mat added strength for everyday use.

Perforated Mat Saves Money

Rolls are perforated vertically at 9.5” and horizontally every 17”. Tear off only what you need—save money! AirLaid Pads not perforated.

Color-Coded

Grunge-hiding Gray for universal applications; bright White for Oil-Only absorbency.



UNIVERSAL LIQUID LOK SOCKS



PADS EXAMPLE

SONICBONDED

Our Clean It Up Sonicbonded Absorbs Overspray and Spills—Helps Keep Floors Dry and Safe.

Fast-Acting for Quick Response

A layer of MeltBlown polypropylene creates high surface area that enables SonicBonded Mat to soak up liquids quickly—great for overspray areas and indoor spills.

High Absorbency Keeps It on the Job Longer

A random assembly of large diameter MeltBlown poly fibers creates a lofty layer that allows this Mat to absorb up to 67 gallons per 144’ roll. It absorbs more than most mats, so you can leave it on the job longer.

Ultrasonic Weld Points Keep Mat Intact

Ultrasonic weldpoints fuse the layers of fibers together—keeps its shape even when completely saturated. Top layer of sturdy SpunBond fabric provides added Mat strength. Mat is also Color coded—Grunge-hiding Gray for universal applications or White for oil-only absorbency

Multi-Perforations Help You Use Less and Save Money.

SpunBond top layer allows for better-defined perforations for cleaner, easier tear-offs. Rolls are perforated every 9.5” vertically and 17” horizontally. Pads are perforated vertically at 9.5”.

CONTACT US FOR MORE INFORMATION:

P.O.Box 8149
Surprise, AZ 85374

www.cleanitup.com web
www.cleanitupabsorbents.com web

sales@cleanitup.com e-mail
800.684.1347 toll free

623.544.4378 in AZ
623.544.5925 fax